

**Friday,  
March 27, 2026**

**8:00 am – 12:00 pm**

**8015 Rinker Pointe Ct.  
Northwood, OH 43619**

**SCNWO Members**  
\$150.00 per person

**Non-Members**  
\$250.00 per person

**Instructor:**  
**Donald Elswick,**  
**CIH CSP CIT CHMM**  
**ELSMART**  
**Associates, LLC**

**Register @ Website:**  
[www.scnwo.org](http://www.scnwo.org)

**Fax:**  
419-662-8888

**Email:**  
[safetycouncil@scnwo.com](mailto:safetycouncil@scnwo.com)

**More Information?**

**Contact Us:**

**419-662-7777**

[safetycouncil@scnwo.com](mailto:safetycouncil@scnwo.com)

[www.scnwo.org](http://www.scnwo.org)



## **COMBUSTIBLE DUST**

### **Management & Safety**

According to a study by the chemical Safety Board, dust explosions remain a serious problem in American industry. Over the last 30 years there have been more than 3,500 combustible dust explosions, 281 of these have been major incidents resulting in the deaths of 119 workers and another 718 workers sustained injuries.

This half-day course explains the requirements for a Dust Hazard Analysis (DHA) and an overview of the methodologies that can be employed to perform a DHA.

The course also includes a logical approach to characterizing a powder's hazardous dust properties, as well as a description of various techniques used to control and/or avoid dust explosions in a safe and compliant manner utilizing OSHA and NFPA standards.

## **COMBUSTIBLE DUST**

### **Management & Safety**

**Friday,  
March 27, 2026**  
**8:00 am – 12:00 pm**

#### **REGISTRATION**

**COMPANY NAME:**

**ADDRESS:**

**Phone #:**

**Attendees:**



#### **PAYMENT INFORMATION**

**Member: \$150.00**

**Non-Member: \$250.00**

**PAYMENT METHOD:**

**ENCLOSED: \_\_\_\_\_**

**CHECK #: \_\_\_\_\_**

**AMOUNT: \_\_\_\_\_**

**INVOICE ME: \_\_\_\_\_**

**Attn: \_\_\_\_\_**

*Cancellations less than 24 hours in advance and no-shows are responsible for the full registration fees. Substitutions may be made anytime. Non-Members must pre-pay to register.*



**alliance**  
An OSHA Cooperative Program

